



# DULAR<sup>EVO</sup>

## Residential Downlights



For comfortable, low glare environments.

**DULAR EVO** is an integrated, Green Star compliant downlight designed for fast and efficient installation. It offers a clean, all-in-one body that simplifies ceiling integration — ideal for apartments, renovations, and commercial fit-outs.

### Features

- Tritone colour changeable
- High Colour Rendering Index (CRI)
- IC-4 rating (ta 25 °C)
- Exceptional performance
- Low Unified Glare Rating (UGR)
- Selections of reflectors
- Flicker-free driver

### Benefits

- Provides the choice of light hues from a single luminaire
- True colour definition to highlight natural colour
- Allows for covered and abutted installations
- High efficiency rating to promote energy saving
- Excellent lighting option for indoor work places
- Covers a diverse range of applications
- Increase productivity and lowers eye strain

## Product Overview


POWER	LUMENS	EFFICACY	CCT	CUTOUT	WEIGHT	FASCIA	SAP CODE	PRODUCT CODE
7 W	866 / 800 lm	121 / 113 lm/W	3000 / 4000 K	Ø 90 mm	0.2 kg	White	2002622	<b>DULAR-EV</b>

SPECIFICATIONS			
Body Material:	Polyamide	Driver:	Remote
Diffuser Material:	Polycarbonate Lens	Connect Type:	0.6m Flex & Plug
Body Colour:	White	Electrical Classification:	Class II
IP Rating:	IP54 (front only)	*Projected Lifespan:	72,000hrs @ Ta25°C(L80B50)
IC Rating:	IC-4	Operating Ambient Temp.	-20 to 40°C
Flick-free Driver:	Yes	Power Factor:	> 0.9
Beam Angle:	60°	Surge Protection:	Overload / Short Circuit
CRI	> 90	UGR	< 19
SDCM:	< 3	Smart:	KASTA Compatible
Dimming:	Phase-Cut Dimmable (Trailing Edge, 10-100%)		


APPLICATIONS	
Bathrooms	Offices
Boardroom / Meeting Rooms	Retail Spaces
Cocktail Lounge	Showrooms
Medical Facilities	Restaurants / Cafes
Hotel Common Areas	Entrance
Hotel Rooms	Food Courts

\*Based on rated LED design life

## DIMENSIONS (mm)



## Accessories



EV-REF-SIL



Residential Downlights