

# **ATMOS**<sup>™</sup> Series

POWERPOINTS, SWITCH INTERFACES AND ISOLATORS

# Simple installation

- Suitable for retro-fitting or new builds
- Common industry standard footprint for ease of retro fit.
- Multiple knock-outs for flexible cable entry points
- Large terminals and combination head screws for fast fit-offs

## **Weatherproof Powerpoints**

Discover the versatility and durability of our Weatherproof Powerpoint Range, designed to withstand demanding environments while ensuring safety and style for both residential and commercial applications.

### **Key features include:**

Versatile Configurations: Choose from single, single square, double, or double with an extra switch, tailored to your needs.

Exceptional Protection: Rated IP54, eliminating the need for additional plastic covers, making it perfect for "ZONE 2" areas like pools, wet areas, and ponds, as per AS/NZS3000.

Enhanced Safety: Features sealed safety shutters and UV-stabilsed materials to prevent discoloration and maintain durability over time.

Effortless Installation: Includes multiple mounting options, colour-coded terminals for easy identification, and back mounting boxes with 20mm and 25mm plain entries, supporting various installation locations.

**Seamless Design:** Matches the styling of the Atmos range of weatherproof switches, providing a cohesive look across all installations.

















#### **UNISON**™ **Powerpoints**

## Unison Atmos Weatherproof Powerpoint

/ Single, Square, 10A 250V a.c., IP54, Grey



ATPP1S-GY SAP CODE: 5000250

#### **Unison Atmos Weatherproof Powerpoint**

/ Single, Rectangular, 10A 250V a.c., IP54, Grey



ATPP1-GY SAP CODE: 5000251

#### **Unison Atmos Weatherproof Powerpoint**

/ Double, Rectangular, 10A 250V a.c., IP54, Grey




ATPP2N-GY SAP CODE: 5000252

#### Unison Atmos Weatherproof Powerpoint

/ Double, Rectangular, 10A with Extra Switch, 250V a.c., IP54, Grey



ATPP2X-GY SAP CODE: 5000253



## **Weatherproof Switch Range**

Introducing our Weatherproof Switch Range, designed for reliability and durability in both residential and commercial environments. Rated at 16A 250V~, these switches are engineered to withstand tough conditions while maintaining exceptional performance and style.

### **Key features include:**

Versatile Options: Available in single and double switch configurations with a heavyduty mechanism and secure screw fittings.

Durable Construction: Made from UV-stabilised polycarbonate to prevent discolouration and ensure longevity in outdoor conditions.

**Enhanced Protection:** Featuring an IP66 rating, these switches provide superior resistance to water, dust, and other harmful elements, making them perfect for outdoor and challenging environments such as gardens, carports, workshops, and building exteriors.

**Practical Design:** Includes back mounting boxes with 20mm and 25mm plain entries to accommodate various installation requirements and terminals that support looping to other devices or side-by-side installations.

Seamless Aesthetic: Styled to match the Atmos range of weatherproof powerpoints, ensuring a cohesive look across your installations.

Whether for damp, dusty, or exterior spaces, this range delivers the ultimate combination of functionality, durability, and style.



Residential Residential







Commercial



/ 6 /







/ 8 /

## **UNISON**<sup>™</sup> Switches

#### Unison Atmos Weatherproof Switch / 1 Gang, 16A, 250V a.c., IP66, Grey



ATS116-GY SAP CODE: 5000329

# Unison Atmos Weatherproof Switch / 2 Gang, 16A, 250V a.c., IP66, Grey



ATS116/2-GY SAP CODE: 5000330

# **High-Performance Weatherproof Isolators**

Engineered for industrial and demanding applications, the Weatherproof Isolator Range delivers top-tier performance and reliability with robust construction and enhanced safety features.

### **Key features include:**

**Superior Protection:** With a high IP66 rating, these isolators guard against water, dust, and other harsh elements, ensuring dependable operation in challenging environments.

**Enhanced Security:** Pad-lockable in the off position (suits 6mm shackle) for added safety during maintenance or downtime.

**Durable and Reliable:** UV-stabilised materials prevent discoloration, and switches are mounted on a stable base for long-term durability.

**Simplified Installation:** Equipped with multiple mounting facilities, color-coded terminals, and entries including  $4 \times 25 \text{mm}$  threaded and  $2 \times 10 \text{mm}$  plain reducers (25/20), accommodating various installation needs.

**User-Friendly Design:** Covers are secured with fast-action retention screws for quick access, while earth and neutral cables are firmly secured with two screws on both line and load sides.

Peace of Mind: Backed by a 5-year warranty, offering confidence in every installation.




Residential Multi-





ulti- Commercial



Entries: 4 x 25mm threaded.





### **UNISON**™ Isolators

#### Unison Atmos Weatherproof Isolator

/ 1 pole, Large, IP66, Grey, AC23

20A 250V a.c. M.100



ISLS20A1P SAP CODE: 5000461

35 A 250V a.c. M.180



ISLS35A1P SAP CODE: 5000462

63A 250V a.c. M.200



ISLS63A1P SAP CODE: 5000463

#### Unison Atmos Weatherproof Isolator

/ 3 pole, Large, IP66, Grey, AC23

20A 250V a.c. M.100



ISLS20A3P SAP CODE: 5000458

35 A 250V a.c. M.140



ISLS35A3P SAP CODE: 5000459

63 A 250V a.c. M.200



ISLS63A3P SAP CODE: 5000460

# Contact KASTA

02 9168 5900 **kasta.com.au** 

